

Your Hitch Lock

The FullStop® Saracen Hitch Lock gives you the peace of mind that your valuable mobile property is protected.

In order to ensure optimal use of your hitch lock, we recommend that you read this manual completely.

Installation

Can be fitted when your vehicle is hitched or unhitched, but must not be fitted during transit.



Hitched

Insert key and turn to unlock.

Remove lock barrel assembly from main body and base.

If stabiliser is fitted, lift handle to vertical position.

Position the main body over the hitch handle ensuring the handle end is recessed fully into the enclosed end of the Hitchlock. Fit the base section onto the bottom of the main body. Replace the lock barrel assembly and lock into position. If stabiliser is fitted its handle may be pushed back down into position over the Hitchlock.

Unhitched

Insert key and turn to unlock.

Remove lock barrel assembly from main body and base.

If stabiliser is fitted, lift handle to vertical position.

Insert security ball.

Position the main body over the hitch handle ensuring the handle end is recessed fully into the enclosed end of the Hitchlock.

Replace the lock barrel assembly and lock into position. Fit the base section onto the bottom of the main body.

If stabiliser is fitted its handle may be pushed back down into position over the Hitchlock. Ensure handle is in the fully closed position.

Note

Use in conjunction with some form of coupling; this includes a hitch post (Fortress model FSHP10) or a vehicle. When the hitch lock cannot be used with a coupling, a secondary security device (such as a wheel clamp) should be used. This is necessary to inhibit theft by towing.

Maintenance

Fit protective cap to lock barrel to help prevent ingress of dirt or water. Thereafter spray the outside of the lock body with a light oil such as WD-40 or equivalent every sixteen weeks.



Disclaimer

If used properly, your FullStop® product will be an effective deterrent. However, nothing can stop the efforts of the most determined thief, and to this end no liability is accepted for any loss and/or damage caused by any illegal activity including theft or vandalism. Liability also not accepted for any loss and/or damage arising from misuse, unauthorised repair or alteration and failure to follow the user guide directions. No form of consequential loss what so ever will be accepted.



© Copyright 2006. Purple Line Limited. **Web:** www.fullstop-security.com **E-mail:** support@fullstop-security.com **Tel:** 0870 444 8688 Photographs for illustration purposes only. Actual product may differ slightly. Purple line Limited reserve the right to alter product specification without prior notice.